

FERTIACTYL® RhiZn

10-0-5

FERTIACTYL IS A LIQUID NUTRITIONAL DESIGNED TO
HELP INCREASE ROOT GROWTH, CROP STAND AND
LESSEN EARLY SEASON STRESS.

F1550

GUARANTEED ANALYSIS

TOTAL NITROGEN (N) 10%

10% UREA NITROGEN (N)

SOLUBLE POTASH (K₂O) 5%

ZINC (Zn) 2%

DERIVED FROM: UREA, POTASSIUM HYDROXIDE AND
Zn EDTA.

NON PLANT FOOD INGREDIENTS: HUMIC ACID
(10%), FULVIC ACID (5%), SEAWEED EXTRACT
(20%), OTHER INERT INGREDIENTS (45%).

**KEEP OUT OF REACH OF CHILDREN -
READ ENTIRE LABEL BEFORE USING THIS
PRODUCT - SHAKE OR RECIRCULATE
BEFORE USE**

DIRECTIONS FOR USE: FIELD, ROW, VEGETABLE,
ORCHARD AND VINE CROPS: APPLY 1-4 QUARTS PER ACRE
PER APPLICATION THROUGHOUT THE GROWING SEASON. MORE
FREQUENT APPLICATIONS AT 1 QT/AC PER ACRE MAY BE NEEDED
TO CORRECT DEFICIENCIES OR ON CROPS THAT UNDER HEAVY
WEATHER STRESS. DO NOT SPRAY DURING PERIODS OF FROST, IN
HOT CONDITIONS IT IS BETTER TO SPRAY AT THE BEGINNING OR
AT THE END OF THE DAY.

H315: CAUSES SKIN IRRITATION.

H319: CAUSES SERIOUS EYE IRRITATION.

H335: MAY CAUSE RESPIRATORY IRRITATION.

P271: USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA.

P280: WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PRO-
TECTION/FACE PROTECTION.

P302 + P352: IF ON SKIN: WASH WITH PLENTY OF SOAP AND
WATER.

P304 + P340: IF INHALED: REMOVE PERSON TO FRESH AIR AND
KEEP COMFORTABLE FOR BREATHING.

P305 + P351 + P338 + P310: IF IN EYES: RINSE CAUTIOUSLY WITH
WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT
AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A DOCTOR, A
POISON CENTER.

P337 + P313: IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/
ATTENTION.



WARNING

FERTIACTYL RhiZn

CROPS	APPLICATION STAGE	APPLICATION RATE 1-12 APPLICATIONS
ORCHARDS AND VINEYARDS INCLUDING BUT NOT LIMITED TO: APPLES, PEARS, PEACHES, NECTARINES, GRAPES, (JUICE, TABLE, WINE), CITRUS	FOLIAR: BUDBREAK// HARVEST GROUND APPLICATION	1-3 QT/AC FOLIAR 2-4 QT/ACRE SOIL APPLIED AS OFTEN AS WEEKLY
ROOT AND VEGETABLES, INCLUDING BUT NOT LIMITED TO: SUGAR BEETS, POTATOES, CARROTS, ONIONS, AND OTHER ROOT CROPS, TOMATOES, PEPPERS, EGGPLANTS, CUCURBITS, PUMPKINS, SQUASHES, CARROTS, LEAFY GREENS, COLD CROPS (CABBAGE, BRUSSEL SPROUTS, BROCCOLI)	WITH LIQUID SIDE-DRESS OR THROUGH FERTIGATION FOLIAR: EMERGENCE TO V6	1-2 QTS/AC FOLIAR 2-4 QTS/AC SOIL APPLIED AS OFTEN AS BI-WEEKLY
FIELD AND ROW CROPS, INCLUDING BUT NOT LIMITED TO: CORN, WHEAT, BARLEY, RYE, OATS, SORGHUM, OTHER CEREAL GRAINS, SUNFLOW- ER, CANOLA, SOYBEAN, LENTILS, DRY BEANS, FIELD PEAS, PEANUTS, COTTON, RICE	WITH LIQUID SIDE-DRESS, STARTER FERTILIZER, 2x2, OR IN-FURROW FOLIAR: EMERGENCE TO V6	1-2 QTS/AC FOLIAR 0.5-2 QT/AC SOIL APPLIED
ALFALFA, CLOVER, AND GRASS CROPS	FOLIAR APPLY AT SPRING GREEN UP AND AGAIN 3-7 DAYS AFTER EACH CUTTING	1-2 QT/AC FOLIAR 1-4 QT/ACRE SOIL APPLIED

THESE RECOMMENDATIONS ARE GUIDELINES ONLY. OPTIMUM RATE OF APPLICATION WILL VARY DEPENDING ON SOIL PROPERTIES
(SUCH AS pH, ORGANIC MATTER CONTENT, TEXTURE), WEATHER CONDITIONS, TIME OF YEAR, PLANT SPECIES AND GENERAL HEALTH.
FOR BEST RESULTS, FOLLOW SOIL AND TISSUE TEST RECOMMENDATIONS.

COMPATIBILITY, TANK MIXING AND STORAGE: CHECK MIXTURE COMPATIBILITY USING A JAR TEST PRIOR TO
APPLICATION. FILL MIX TANK WITH HALF OF REQUIRED WATER AND BEGIN AGITATION. ADD PRODUCTS IN THIS ORDER, MIXING
THOROUGHLY AFTER EACH ADDITION: ADJUVANTS, PESTICIDES, THEN FERTILIZERS. FILL TANK WITH REMAINDER OF WATER AND
CONTINUE AGITATION UNTIL SOLUTION IS COMPLETELY MIXED. MANUFACTURER RESPONSIBILITY IS LIMITED TO THE GUARANTEE OF THE
PRODUCT'S COMPOSITION AS PER LABEL IN CERTIFIED PACKAGING. IN ALL CASES, TEST THE COMPATIBILITY PRIOR TO TREATMENT.
STORE IN A COOL AND DRY PLACE, AVOID STORING IN SUNLIGHT OR HIGH HEAT ENVIRONMENTS. DO NOT STORE UNDER 32°F
(0°C).

NOTICE OF WARRANTY: TIMAC AGRO USA, INC. WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL
DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR PURPOSES STATED ON THE LABEL WHEN USED IN ACCORDANCE
WITH DIRECTIONS UNDER NORMAL USE CONDITIONS. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES
MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS, OR THE MANNER OF USE
OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF TIMAC AGRO USA, INC. IN NO CASE SHALL TIMAC AGRO
USA, INC. BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, OR SHIPPING
OF THIS PRODUCT. ALL SUCH RISK SHALL BE ASSUMED BY THE BUYER. TIMAC AGRO USA, INC. MAKES NO WARRANTIES OF
MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED
ABOVE.

WEIGHT PER GALLON

10.95 lbs.

MANUFACTURED BY TIMAC AGRO USA
P.O. Box 888 - ROUTE 724 & I-176 READING, PA
19607 -0888 - USA

