

FERTILEADER®

Seactiv



Axis

264 Gal.

FERTILEADER Axis- 3-18-0

GUARANTEED ANALYSIS

- Total Nitrogen (N).....3%
 - 1 % Nitrate Nitrogen
 - 2 % Urea Nitrogen
- Available Phosphate (P₂O₅)18%

- Manganese (Mn)2.5%
 - 2.5 % Manganese (Mn) watersoluble
- Zinc (Zn)5.7%
 - 5.7 % Zinc (Zn) watersoluble

DERIVED FROM: Urea, Manganese Nitrate, Phosphoric Acid, Zinc oxide

F 1550

NON PLANT FOOD INGREDIENTS:

Plant and seaweed extracts..... 8 %

DIRECTIONS FOR USE:

Do not spray during periods of frost. In hot conditions, it is better to spray at the beginning or at the end of the day.

Add FERTILEADER Axis first in half tank water and agitate while mixing. Spray oils should be added very last to any mix so water soluble fertilizers can dissolve completely first. Keep agitating until the end of the application. Dilute into at least 15 gallons/Acre. Foliar fertilization is intended as a supplement to a regular fertilization program and may not by itself provide all the nutrients normally required by crops or other intended plants.

PLEASE READ CAREFULLY BEFORE USING - KEEP OUT OF REACH OF CHILDREN - RECIRCULATE BEFORE USE

| Crop | N° of applications | Application stages | Application rate pts/Acre |
|--------------------------------|--------------------|--|---------------------------|
| Citrus | 1 – 4 | Pre-bloom, bloom, summer flush, fall spray | 2 – 4 |
| Citrus HLB Program year One | 2 | Spring at pre-bloom to bloom, summer flush | 2 - 4 |
| Citrus HLB Program Maintenance | 1 | Spring at pre-bloom to bloom | 2 - 4 |
| Fruit trees | 1 – 3 | Pre-bloom, bloom, summer flush, fall spray | 1 – 2 |
| Cotton | 1 | At pre-bloom to post-bloom | 1 – 2 |
| Peaches | 1 | At pre-bloom to post-bloom | 1 – 2 |
| Pecans | 1 | At pre-bloom to post-bloom | 1 – 2 |
| Onions | 1 – 2 | Apply as needed for crop | 2 – 3 |
| Tobacco | 1 | Apply as needed for crop | 2 – 3 |
| Potatoes | 1 | Apply at mid to later crop stage | 2 – 3 |
| Soybeans | 1 | Apply at pre-bloom to post bloom | 2 – 3 |
| Grains, Wheat | 1 | Apply at flagging or at seedhead out | 1 – 2 |
| Grass seed crops | 1 | Apply at flagging or at seedhead out | 2 – 4 |
| Corn | 2 | Apply with pop up fert and at 4-6 leaf stage | 2 – 3 |
| Berries | 2 – 4 | Pre-Bloom to start of Bloom, each hand | 2 – 3 |

* In combination with water soluble minors fertilizer when necessary.

COMPATIBILITY AND STORAGE:

FERTILEADER Axis is compatible with many chemicals. In all cases, test the compatibility prior to treatment. Do not store under 32°F (0°C).

VOLUME: 264 Gallons (1000 liters) – NET WEIGHT: 3090 lb (1410 kg)

Timac Agro USA, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on the label when used in accordance with directions under normal use conditions. Crop Injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Timac Agro USA, Inc. In no case shall Timac Agro USA, Inc. be liable for consequential, special or indirect damages resulting from the use, handling, or shipping of this product. All such risk shall be assumed by the Buyer. Timac Agro USA, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Timac Agro USA, INC. - P.O. Box 888 - Route 724 & I-176 Reading, PA 19607-0888 – USA

MANUFACTURED BY TIMAC AGRO USA -
P.O. Box 888 - Route 724 & I-176 Reading,
PA 19607-0888 – USA



2ENFAXISUS264GAL 1550

FERTILEADER® Axis

CAS : 10377-66-9 / EC : 233-828-8 - CAS: 7664-38-2 / EC: 231-633-2

Contains: Manganese nitrate, Phosphoric acid

H290: May be corrosive to metals. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H400: Very toxic to aquatic life. H411: Toxic to aquatic life with long lasting effects. P260: Do not breathe spray, vapours. P264: Wash hands, forearms and face thoroughly after handling. P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P390: Absorb spillage to prevent material damage. P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Timac Agro USA, INC. - P.O. Box 888 - Route 724 & I-176 Reading, PA 19607-0888 – USA

DANGER



UN 3264

CORROSIVE LIQUID, ACIDIC,
INORGANIC, N.O.S.
(Phosphoric acid ; Manganese nitrate)
ENVIRONMENTALLY HAZARDOUS