

FERTILEADER®

Seactiv



Copper CB

264 Gal.

FERTILEADER® Copper CB 0-0-0

GUARANTEED ANALYSIS

• Copper (Cu) 11.9%
11.9% Water Soluble Copper (Cu)

F 1550

NON PLANT FOOD INGREDIENTS:

Plant and seaweed extract 8 %

DERIVED FROM: Copper Nitrate.

PLEASE READ CAREFULLY BEFORE USING - KEEP OUT OF REACH OF CHILDREN - RECIRCULATE BEFORE USE

DIRECTIONS FOR USE:

• Do not spray during periods of frost. In hot conditions it is better to spray at the beginning or at the end of the day. Fill tank half full with clean water then add FERTILEADER® Copper CB and continue to agitate while mixing. Keep agitating until the end of the application. Use the dilution rate in the table below.

• FERTILEADER® Copper CB is intended as a supplement to a regular fertilization program and may not by itself provide all the nutrients normally required by crops or other intended plants.

CROP	N° OF APP.	APPLICATION STAGES	APP. RATE (/Acre)	DILUTION (Gal/Acre)
Citrus, Young Citrus	3 - 4	Prior to major flushes, post bloom, summer, Sept, Nov-Dec	Inject thru Microjet 22 oz.	Inject by itself, then flush lines thoroughly
Citrus, Maintenance of 80 ppm	3 - 4	Prior to major flushes, post bloom, summer, Sept, Nov-Dec	Min 8 oz. recommend 12 oz	5 - 250
Young Citrus Maintenance	4 - 6	Prior to major flushes, or every 2 months	6 to 8 oz./100 g.	Spray to soak trees
Fruits	3 - 4	Post-bloom, summer, Sept.	5 to 10 oz.	50 - 100
Wheat, Grains, Field Crops	1 - 2	As needed	5 to 10 oz.	5 - 50
Tomatoes, Peppers	3 - 6	As needed	5 to 10 oz.	15 - 150
Artichoke	3 - 4	Sept-December	2 to 3 oz/25 gal.	25
Horticultural Plants	1 - 3	As needed	8 to 12 oz	20 - 50
Turfgrass	1 - 3	As needed	8 to 12 oz	20 - 50

COMPATIBILITY AND STORAGE:

• FERTILEADER® Copper CB is compatible with a wide range of agrochemicals, most pesticides, adjuvants and nutritionals. In all cases, test the compatibility prior to treatment.
• Do not store under 32°F (0°C).

NET VOLUME: 264 Gal (1000L) - NET WEIGHT: 3109 lb (1410 kg)

Timac Agro USA, Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on the label when used in accordance with directions under normal use conditions. Crop Injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Timac Agro USA, Inc. In no case shall Timac Agro USA, Inc. be liable for consequential, special or indirect damages resulting from the use, handling, or shipping of this product. All such risk shall be assumed by the Buyer. Timac Agro USA, Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Timac Agro USA, INC. - P.O. Box 888 - Route 724 & I-176 Reading, PA 19607-0888 - USA

MANUFACTURED BY TIMAC AGRO USA -
P.O. Box 888 - Route 724 & I-176 Reading,
PA 19607 -0888 - USA



2ENFCOPCBUS264GAL 1712

FERTILEADER® Copper CB



DANGER

Contains: Copper (II) nitrate / Nitric acid, copper (2+) salt (2:1)
CAS: 3251-23-8

H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H335: May cause respiratory irritation.
H373: May cause damage to organs through prolonged or repeated exposure.
P260: Do not breathe spray, vapours.
P280: Wear face shield, protective clothing, protective gloves.
P301 + P330 + P331: If swallowed: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353: If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a doctor, a POISON CENTER.
Manufactured by: Timac Agro USA, INC. – P.O. Box 888 – Route 724 & I-176
Reading, PA 19607-0888 – USA



UN 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S., 8, III, MARINE
(POLLUTANT/ENVIRONMENTALLY HAZARDOUS)